




Получатель

Company  
Reference  
Address  
Phone  
Fax  
E-mail

DCP2 40-1000/P/BQQE/0.37 3x230/400 50 IE2

Curve tolerance according to ISO 9906



Вход  
DN 40  
PN10, PN16

Вых  
DN 40  
PN10, PN16

Расход :

Напор :

Частота вращения  
2910 1/min

MAIN\_PROJECT\_TITLE

BUSINESS\_PROCESS\_ID

Untitled project 2026-07-24 11:38:00.454

OWNER\_



ISSUE\_DATE

24/07/26

Получатель

Company  
Reference  
Address  
Phone  
Fax  
E-mail

DCP2 40-1000/P/BQQE/0.37 3x230/400 50 IE2



Измерения в mm

Соединения насоса:

|    |     |     |     |      |  |  |  |
|----|-----|-----|-----|------|--|--|--|
| 1  | A   | 110 | DNM | 40   |  |  |  |
| 2  | B   | 437 | H   | 396  |  |  |  |
| 3  | B1  | 217 | H1  | 66   |  |  |  |
| 4  | B2  | 220 | I   | 220  |  |  |  |
| 5  | C1  | 100 | L   | 250  |  |  |  |
| 6  | C2  | 220 | L1  | 148  |  |  |  |
| 7  | D   | 80  | L2  | 102  |  |  |  |
| 8  | D1  | 110 | M   | 10   |  |  |  |
| 9  | D2  | 100 | S1  | 21.5 |  |  |  |
| 10 | D3  | 150 | S2  | 21.5 |  |  |  |
| 11 | DNA | 40  |     |      |  |  |  |

всасывания :  
DN 40  
PN10, PN16

подачу :  
DN 40  
PN10, PN16

MAIN\_PROJECT\_TITLE

BUSINESS\_PROCESS\_ID

Untitled project 2026-07-24 11:38:00.454

OWNER\_

ISSUE\_DATE

24/07/26