




GHND 32/70-180

979522021

 GHND / Threaded double circulation pumps with three speeds
 Heating/cooling, Klimatizacija

GENERAL

Номер продукта	979522021		
Product name	GHND 32/70-180		
Seal type			
Нетто вес	5,90 kg		
H макс	6.4 m	H min	0.0 m
Q макс	5.6 m3/h	Q min	0.0 m3/h
	%		
Уровень звукового давления	≤43 dB(A)		



ELECTRICAL DATA

Номинальное напряжение	
Частота сети	50 Hz
Мощность двигателя	140 W
Об. / мин.	2880 rpm
Класс изоляции (IEC 85)	H °C
Номинальный ток	0.62 A
Класс защиты (IEC 34-5)	IP44
Thermal protection	
Frame size	

INSTALLATION

Тип жидкости	Water VDI 2035, glycol 40%
Диапазон температуры жидкости	-10.0 ÷ 110.0 °C
Максимальная температура окружающей среды	35 °C
Монтажная длина	180 mm
Условный проход DN1	32
Соединение	G 2
Присоединение	G 2

MATERIAL

Материал подшипников	Керамика
Материал рабочего колеса	Пластик Noryl 1630V
Материал проточной части	Серый чугун
Материал вала	Нерж.сталь AISI 420

Motor i e class

Макс. рабочее
давление

1,0

979522021

GHND / Threaded double circulation pumps with three speeds
Heating/cooling, Klimatizacija






GHND 32/70-180

979522021

GHND / Threaded double circulation pumps with three speeds

Heating/cooling, Klimatizacija

Эскиз




DN=32 D2=2" a=33 l=106 L=180 b1=85 b=231 h1=78

**GHND 32/70-180**

979522021

GHND / Threaded double circulation pumps with three speeds
Heating/cooling, Klimatizacija

Электрическая схема





GHND 32/70-180

979522021

GHND / Threaded double circulation pumps with three speeds

Heating/cooling, Klimatizacija